FOUNDATION FOR A SMOKE-FREE WORLD

GLOBAL STATE OF SMOKING POLL - 2019

JAPAN

CONTENTS

- 1. Background
- 2. Methodology
- 3. Key Findings
- 4. Detailed Findings
 - I. Usage details of various tobacco products and other alternative products
 - II. Beliefs and perception Among current users/ vapers/ smokers
 - III. Quitting and Quitters

1. BACKGROUND

CONTEXT AND OBJECTIVES

Foundation for a Smoke-Free World (FSFW) aims to improve global health by ending smoking in this generation.

The areas of focus include smoking cessation and harm reduction, as supported by new technologies, therapies, alternative products, behavioral science, and other approaches.

FSFW conducted a global poll across a range of countries to gain a clear understanding of the current landscape of habits and perceptions regarding tobacco products and alternative nicotine delivery systems (ANDS) among adults across the world, in light of different cultural, socio-economic, and tobacco-regulatory backgrounds. The study was conducted in 7 countries.

Research Objectives:

- Usage of various tobacco products and compounds
- Understand smokers' experiences and challenges
- Beliefs and perceptions in terms of harmfulness and addictiveness of different products and compounds

2. METHODOLOGY

RESEARCH DESIGN (QUANTITATIVE)

Interview Method:

Online Interviews

Sample Size:

Six pilot interviews were conducted prior finalizing the questionnaires n: 2227 online interviews

Target Group:

- Gender: Men/Women
- Age: 20- 69 years
- Current users of tobacco products/vapers/smokers and quitters who quit tobacco in last 5 years

Fieldwork Duration:

• 17th June, 2019 to 19th August, 2019

3. KEY FINDINGS



Current usage landscape of tobacco products and alternative products

- Cigarettes were the most widely used (83%) among current product users, followed by heat-not-burn products (38%).
- The majority (72%) of current cigarette smokers claimed they started smoking between 20 and 24 years; only 18% said they started smoking before the age of 20.
- A majority of current product users were familiar (68%) with heat-not-burn products. However, 26% of current users have never heard of smokeless tobacco. The main reasons selected for starting to use heat-not-burn products were that they are less harmful than traditional cigarettes.
- 24% of current cigarette smokers were highly or very highly dependent on nicotine. Current users between 25 and 35 years of age were highly or very highly dependent on nicotine (38%).



Beliefs and Perception Among Current Users

- An overwhelming majority of current users believed smoking is harmful to their health (76%) and to others around them (87%). 54% of current users reported not reading the health warning labels on packages at all.
- The majority of current users considered heat-not-burn products, e-cigarettes and smokeless tobacco as less harmful than combustible tobacco.
- Among current users not using heat-not-burn products, 29% admitted that they may use them within the next 12 months. Only 16% of current users not using heat-not-burn products considered using smokeless tobacco.
- The majority of current users believed nicotine is harmful (82%) and addictive (81%).

SUMMARY

Quitting and Quitters

- There were no major differences in participant characteristics between current users and quitters. However, the proportion of participants in the 51-69 years age group was larger among quitters. More quitters believed smoking tobacco is more harmful to their health and to others around them (50%) than current users (36%).
- The majority of current users (66%) claimed they have attempted to quit tobacco or alternative products. A higher proportion of 25-35 year old consumers (46%) reported planning to quit compared to the other age groups.
- The harmful health effects of tobacco on health (65%) and family's or friends' suggestions (27%) were the main reasons for quitting or attempting to quit. 74% of current users claimed that a price increase would impact their consumption behavior. 68% of current users would consider reducing their consumption if prices increased.
- Apart from enjoying tobacco (40%), stress (37%) was one of the main obstacles to quitting.
 Multiple quit attempts suggested that quitting is a tough process. More women than men said
 they felt stressed and would not be able to quit. The average number of quit attempts was higher
 among women than men.


4. DETAILED FINDINGS


Achieved Sample: Quantitative Module


Sample by Demographics				
	n	%		
All	2227	100		
Men	1503	67		
Women	724	33		
20-24yrs	68	3		
25-35yrs	308	14		
36-50 yrs	792	36		
51-69 yrs	1059	48		
Rural area or village	59	3		
Small or middle sized town	812	36		
Large town	1330	60		
Prefer not to say	26	1		
Current users of tobacco and other products	1761	79		
Quitters (who quittobacco in last 5 years)	466	21		


Smaller-sooner reward vs. Larger- delayed reward

Respondents opted for larger-delayed rewards in case of both a one-month & six-month waiting period.









■ Smaller-sooner reward ■ Larger-delayed reward ■ Prefer not to answer

13

4.1 Usage details of various tobacco products and other alternative products

Current usage of products




Figures are in %
Base: Random Sample, Users: n=1761
Q. C1. Of the following Tobacco products, which products are you currently consuming? (Select all that apply)


Combustible to bacco products: Cigarettes, Cigars, Water pipe, Bidis etc.

Smokeless to bacco products: Chewing to bacco, smokeless to bacco, s nus etc.

Harm reduction products and other Nicotine Products: E-cig, Heat-not-burn products, Nicotine Gum/Patch etc.




Figures are in %
Base: Random Sample, Current Users Q. C1. Of the following Tobacco products, which products are you currently consuming? (Select all that apply)



Figures are in %
Base: Random Sample, Current Users Q. C1. Of the following Tobacco products, which products are you currently consuming? (Select all that apply)

Usage at a glance: Cigarettes (1/2)



Figures are in %

Base: Random Sample, Current users of Factory Made Cigarettes: n= 1457

C1. Of the following Tobacco products, which products are you currently consuming?

C7. Currently you are using multiple tobacco products; which one do you consume the most?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'? C6. How old were you when you first started smoking/consuming tobacco regularly?

Usage at a glance: Cigarettes (2/2)

	Cigarettes				
Profile	% of Cig. Smokers	Average Age of starting Cig. smoking	% of daily smokers (Among the current users of Cig.)	Average monthly spend on Cigarettes (Yen)	
All Current users of tobacco/other products	83	21	83	8318	
Men (n: 1183)	84	20	85	8720	
Women (n: 578)	79	22	79	7460	
20-24 yrs (n: 55)	73	20	55	7404	
25-35yrs (n: 269)	84	20	76	4543	
36-50yrs (n: 645)	80	21	83	8604	
51- 69 yrs (n: 792)	85	21	87	9496	
Rural (n: 44)	80	21	83	9567	
Small Town (n: 619)	81	21	84	9098	
Large Town (n: 1077)	84	21	83	7854	

Figures are in %


Base: Random Sample, Current users: n= 1761

C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?

C5. Approximately, how much money do you spend on 'Show Tobacco Product' in a typical week? This has been converted into monthly spends

Usage at a glance: Rolled cigarettes (1/2)



Figures are in %

Base : Random Sample, Current users of Rolled Cigarettes : n=87

C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?
C6. How old were you when you first started smoking/consuming tobacco regularly?

Usage at a glance: Rolled cigarettes (2/2)

Rolled Cigarettes					
	% of Rolled Cig. Smokers	Average Age of starting Rolled Cig. smoking	% of daily smokers (Among the current users of Rolled Cig.)	Average monthly spend on Rolled Cig.(Yen)	
All Current users of tobacco/other products	5	22	78	1102	
Men (n: 1183)	6	22	85	1020	
Women (n: 578)	2	25	38	1640	
20-24 yrs (n: 55)	5	17	67	2574	
25-35yrs (n: 269)	24	20	86	362	
36-50yrs (n: 645)	2	28	80	5692	
51- 69 yrs (n: 792)	1	35	30	1404	
Rural (n: 44)	2	Very lowbase (below 15)			
Small Town (n: 619)	1	24	50	4203	
Large Town (n: 1077)	7	22	80	891	

Figures are in %


Base: Random Sample, current users n= 1761

C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?

C5. Approximately, how much money do you spend on 'Show Tobacco Product' in a typical week? This has been converted into monthly spends

Usage at a glance: Electronic cigarettes/vaping devices with nicotine (1/2)



gures are in %

se: Random Sample, Current users of E-cigarettes/ vaping devices with Nicotine: n= 291

[.] Of the following Tobacco products, which products are you currently consuming?

[.] Please select the option that best describes how often you consume 'List Tobacco Product'?

[.] How old were you when you first started smoking/consuming tobacco regularly?

[.] Were you consuming another tobacco product prior to ...product? C8.5. What product were you consuming prior toproduct?

Usage at a glance: Electronic cigarettes/vaping devices with nicotine (2/2)

Electronic cigarettes/vaping devices with nicotine				
	% of E-Cig/Vaping devices with nicotine users	Average Age of starting of E-Cig/Vaping devices with nicotine vaping	% of daily of E- Cig/Vaping devices with nicotine vaping	Average Monthly Spend on E-Cig/Vaping devices with nicotine users (Yen)
All Current users of tobacco/other products	17	36	64	3982
Men (n: 1183)	19	36	69	3945
Women (n: 578)	11	37	46	4109
20-24 yrs (n: 55)	20	20	45	11022
25-35yrs (n: 269)	34	21	77	2333
36-50yrs (n: 645)	16	38	55	5329
51- 69 yrs (n: 792)	11	53	64	3235
Rural (n: 44)	11	Very lowbase (Below 15)		
Small Town (n: 619)	12	42	55	4430
Large Town (n: 1077)	20	35	67	3874

Figures are in %


Base: Random Sample, current users n= 1761

C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?

C5. Approximately, how much money do you spend on 'Show Tobacco Product' in a typical week? This has been converted into monthly spends

Usage at a glance: Flavored Cigarettes (1/2)



Figures are in %

Base : Random Sample, Current users of Flavored Cigarettes : n= 100

C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?

C6. How old were you when you first started smoking/consuming tobacco regularly?

Usage at a glance: Flavored Cigarettes (2/2)

Flavored Cigarettes					
	% of Flavored Cig. Smokers	Average Age of starting Flavored Cig. smoking	% of daily smokers (Among the current users of Flavored Cig.)	Average monthly spend on Flavored Cig.(Yen)	
All Current users of tobacco/other products	6	28	58	2848	
Men (n: 1183)	6	27	62	1699	
Women (n: 578)	4	30	46	4925	
20-24 yrs (n: 55)	7	21	25	3506	
25-35yrs (n: 269)	22	21	71	1435	
36-50yrs (n: 645)	3	33	52	5657	
51- 69 yrs (n: 792)	2				
Rural (n: 44)	5	Very low base (Below 15)			
Small Town (n: 619)	3	34	38	4908	
Large Town (n: 1077)	8	27	62	1912	

Figures are in %


Base: Random Sample, current users n= 1761

C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?

C5. Approximately, how much money do you spend on 'Show Tobacco Product' in a typical week? This has been converted in monthly spend

Usage at a glance: Tubed Cigarettes (1/2)



Figures are in %

Base : Random Sample, Current users of Tubed Cigarettes : n= 93

C1. Of the following Tobacco products, which products are you currently consuming?

 $[\]hbox{C3. Please select the option that best describes how often you consume `List Tobacco \ Product'?}\\$

Usage at a glance : Tubed Cigarettes (2/2)

Tubed Cigarettes						
	% of Tubed Cig. Smokers	Average Age of starting Tubed Cig. smoking	% of daily smokers (Among the current users of Tubed Cig.)	Average monthly spend on Tubed Cig.(Yen)		
All Current users of tobacco/other products	5	20	78	1618		
Men (n: 1183)	6	20	88	863		
Women (n: 578)	3	20	35	4950		
20-24 yrs (n: 55)	9	19	60	6009		
25-35yrs (n: 269)	27	19	85	715		
36-50yrs (n: 645)	1	26	56	1259		
51- 69 yrs (n: 792)	1					
Rural (n: 44)	2	Very Low base (Below 15)				
Small Town (n: 619)	1	21	20	4413		
Large Town (n: 1077)	8	20	82	1475		

Figures are in %


Base: Random Sample, current users n= 1761

C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?

C5. Approximately, how much money do you spend on 'Show Tobacco Product' in a typical week? This has been converted into monthly spends

Usage at a glance: Electronic cigarettes/vaping devices without nicotine (1/2)



Figures are in %

Base: Random Sample, Current users of E-Cigarettes/ Vaping devices without nicotine: n= 185

C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?

C6. How old were you when you first started smoking/consuming tobacco regularly?

C8. Were you consuming another tobacco product prior to ...product? C8.5. What product were you consuming prior toproduct?

Usage at a glance: Electronic cigarettes/vaping devices without nicotine (2/2)

Electronic cigarettes/vaping devices without nicotine				
	% of E-Cig/Vaping devices without nicotine users	Average Age of starting of E-Cig/Vaping devices without nicotine vaping	% of daily of E-Cig/Vaping devices without nicotine users	Average weekly spend on the product (Yen)
All Current users of tobacco/other products	11%	34	57%	2274
Men (n: 1183)	11%	33	62%	2255
Women (n: 578)	9%	34	42%	2322
20-24 yrs (n: 55)	15%	20	50%	2635
25-35yrs (n: 269)	32%	24	70%	1392
36-50yrs (n: 645)	8%	38	43%	3620
51- 69 yrs (n: 792)	5%	53	48%	2403
Rural (n: 44)	7%	Very Low base (Below 15)		
Small Town (n: 619)	7%	40	37%	3049
Large Town (n: 1077)	13%	32	63%	2055

Figures are in %


Base: Random Sample, current users n= 1761

C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?

C5. Approximately, how much money do you spend on 'Show Tobacco Product' in a typical week? This has been converted into monthly spends

Usage at a glance: Nicotine Gum (1/2)



Figures are in %

Base : Random Sample, Current users of Nicotine Gum: n= 100

C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?

C6. How old were you when you first started smoking/consuming tobacco regularly?

Usage at a glance: Nicotine Gum (2/2)

Nicotine Gum					
	% of Nicotine Gum users	Average Age of starting using Nicotine Gum	% of daily users (Among the current users of Nicotine Gum)	Average monthly spend on Nicotine Gum (Yen)	
All Current users of tobacco/other products	6%	27	66%	1639	
Men (n: 1183)	7%	27	79%	1149	
Women (n: 578)	4%	26	22%	3413	
20-24 yrs (n: 55)	11%	26	50%	2898	
25-35yrs (n: 269)	25%	23	84%	642	
36-50yrs (n: 645)	2%	33	20%	5375	
51- 69 yrs (n: 792)	2%				
Rural (n: 44)	2%	Very Low base (Below 15)			
Small Town (n: 619)	2%	31	15%	2136	
Large Town (n: 1077)	8%	27	73%	1588	

Figures are in %


Base: Random Sample, current users n= 1761

C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?

C5. Approximately, how much money do you spend on 'Show Tobacco Product' in a typical week? This has been converted into monthly spends

Usage at a glance: Heat-not-burn products (1/2)



gures are in %

se: Random Sample, Current users of Heat-not burn products: n= 662

[.] Of the following Tobacco products, which products are you currently consuming?

[.] Please select the option that best describes how often you consume 'List Tobacco Product'?

[.] How old were you when you first started smoking/consuming tobacco regularly?

[.] Were you consuming another tobacco product prior toproduct? C8.5. What product were you consuming prior toproduct?

Usage at a glance: Heat-not-burn products (2/2)

Heat-not-burn products				
	% of Heat-not-burn products users	Average Age of starting Heat-not-burn products users	% of daily users (Among the current users of Heat- not-burn products.)	Average monthly spend on Hear-not-burn products (Yen)
All Current users of tobacco/other products	38%	37	70%	6630
Men (n: 1183)	39%	38	70%	6545
Women (n: 578)	35%	34	69%	6827
20-24 yrs (n: 55)	44%	21	33%	4745
25-35yrs (n: 269)	62%	25	74%	5077
36-50yrs (n: 645)	41%	36	72%	7567
51- 69 yrs (n: 792)	26%	49	67%	6946
Rural (n: 44)	25%	Very lowbase (Below 15)		
Small Town (n: 619)	32%	39	61%	6537
Large Town (n: 1077)	42%	36	73%	6568

Figures are in %

Base: Random Sample, current users n= 1761


C1. Of the following Tobacco products, which products are you currently consuming?

C3. Please select the option that best describes how often you consume 'List Tobacco Product'?

C5. Approximately, how much money do you spend on 'Show Tobacco Product' in a typical week? This has been converted into monthly spends


Usage and familiarity of E-Cig, Heat-not-burn and Smokeless tobacco products

68% of current users of tobacco/ other products are either users of Heat-not-burn products or well aware/know a fair amount about them.




Usage and familiarity of E-Cig, Heat-not-burn and Smokeless tobacco products

Among both men and women, the majority are either users of Heat-not-burn products or well aware/know a fair amount about them.




Reasons for start using E-Cig and Heat-not-burn products

t-not-burn products.




Reasons for start using Electronic cigarettes/vaping devices

Among men, curiosity is one of the major reasons to start using E-Cig.



Reasons for start using Heat-not-burn products

Among both men and women, being less harmful than ordinary cigarettes is the main reason to start using these products.



Nicotine Dependence

Fagerstrom Test For Nicotine Dependence

The Fagerström Test for Nicotine Dependence is a standard instrument for assessing the intensity of physical addiction to nicotine.

The test was designed to provide an ordinal measure of nicotine dependence related to cigarette smoking. It contains six items that evaluate the quantity of cigarette consumption, the compulsion to use, and dependence.

In scoring the Fagerstrom Test for Nicotine Dependence, yes/no items are scored from 0 to 1 and multiple-choice items are scored from 0 to 3. The items are summed to yield a total score of 0-10. The higher the total Fagerström score, the more intense is the patient's physical dependence on nicotine.*


How to calculate Fagerstrom score**

PLEASE TICK {✓ } ONE BOX FOR EACH QUESTION				
	Within 5 minutes		3	
How soon after waking do you smoke your first	6-30 minutes		2	
cigarette?	31-60 minutes		1	
	After 60 minutes		0	
Do you find it difficult to refrain from smoking in places	Yes		1	
where it is forbidden? e.g. Church, Library, etc.	No		0	
Which cigarette would you hate to give up?	The first in the morning		1	
	Any other		0	
How many cigarettes a day do you smoke?	10 or less		0	
	11 - 20		1	
	21 -30		2	
	31 or more		3	
Do you smoke more frequently in the morning?	Yes		1	
bo you shoke more frequently in the morning:	No		0	
Do you smoke even if you are sick in bed most of the	Yes		1	
day?	No		0	
	Total Score			

Classification of dependence:

- 0-2 Very low
- 3-4 Low
 - 5 Moderate
- 6-7 High
- 8-10 Very high

Nicotine Dependency: Cigarettes



made Cigarettes 40

Indicative* Nicotine Dependency: By products

Nicotine dependency is high among Rolled Cigarettes, Tubed Cigarettes & Nicotine Gum users.


Indicative nicotine dependency among current smokers of various tobacco/other products								
	Current users of							
	Cigarettes	Rolled cigarettes	Electronic cigarettes/va ping devices with nicotine	Flavored	Tubed cigarettes	Electronic cigarettes/va ping devices without nicotine	Nicotine gum	Heat-not- burn products
	%	%	%	%	%	%	%	%
Base: Current Users	1457	87	291	100	93	185	98	662
C.10 Howsoon after you wake up do you smoke your first cigarette/consume your first nicotine product?								
Within 5 minutes (3)	24	67	34	48	65	39	60	23
6-30 minutes(2)	32	9	22	17	9	21	10	32
31-60 minutes(1)	18	16	22	20	18	17	16	18
C11. Find it difficult to refrain from smoking/consuming tobacco in places where it is forbidden (1)	46	15	42	36	20	39	24	45
C12. Hate to give up the first one in the morning (1)	53	90	65	84	98	75	89	61
C14. Consume more frequently during the first hour (1)	35	83	51	67	85	62	84	38
C15. Consume even i fyou are ill (1)	58	86	63	67	84	63	82	57
Average Scores (1-7)	3.5	5.1	3.9	4.5	5.2	4.2	5.0	3.5

^{*}Fagerstrom score is for cigarette smoking only; hence without the Cig. consumption/day question, scores have been calculated to give an indication of Nicotine dependency among the users of other products. However a large number of them smoke cigarettes too.

4.2 Beliefs and Perception : Among Current Users/Vapers/ Smokers


Beliefs and perceptions about smoking-Current users

88% off the users of tobacco/ other products agree that tobacco is harmful, however, 44% do not usually read warning labels, and 35% even think that warning labels are exaggerated.




Beliefs and perceptions about smoking-Current users

For both men and women, every second Current user of tobacco products/ other products does not usually read the health warning labels.



Risk perception comparison among various products


The majority of current users/smokers/ vapers of tobacco products/ other products, consider Cigarettes to be the most harmful product, followed by Nicotine.



led 8, 9 or 10 on a 10 points scale (Will not be harmful to your health 1 - Will be harmful to your health 10)

Risk perception comparison among various products

Both men and women current users/vapers/smokers consider Cigarettes to be the most harmful product, followed by Nicotine.




scale (Will not be harmful to your health 1 - Will be harmful to your health 10)

46


Risk perception comparison among various tobacco and other products

Heat-not-burn products have the lowest risk perception of causing diseases.




Risk perception comparison among various tobacco and other products

Among men smokers/vapers/ current users, Heat-not-burn products have the lowest risk perception of causing diseases.




Risk perception comparison among various tobacco and other products

Among Women smokers/vapers/ current users, Heat-not-burn products have the lowest risk perception of causing diseases. Low birth weight due to Cigarettes had a higher mention by women.



Beliefs and perceptions comparison among E-cig, HNB and Smokeless tobacco


Approximately 50% of the vapers/smokers/users of E-Cig, Heat-not-burn products & Smokeless Tobacco are not worried/ very little worried about the damage these products will cause to their health.




Beliefs and perceptions comparison among E-cig, HNB and Smokeless tobacco

Among both men and women, approximately 50% of the users of E-Cig, Heat-not-burn products & Smokeless Tobacco are not worried/ very little worried about the damage these products will cause to their health.

B4/8.5/10.2. How worried are you that using this product will damage your health in the future?






I don't know

Verv worried

Base: Random Sample, Those who are aware of the respective products: E – Cig Men: n=1080 Women: n=508; Heat-not-burn products Men: n=1163 Women: n=563; mokeless tobacco Men: n=891 Women: n=416


Beliefs and perceptions- Current users/Vapers/Smokers


The majority of current users/smokers/ vapers consider E-Cig, Heat-not-burn products and Smokeless Tobacco as less harmful than smoking tobacco.




Beliefs and perceptions-Current users/Vapers/Smokers

Among both men and women, the majority consider E-Cig, Heat-not-burn and Smokeless Tobacco as less harmful than smoking tobacco.








igures are in % ase: Random Sample, Those who are aware of the respective products: E – Cig Men: n=1080 Women: n=508; Heat-not-burn products Men: n=1163 Women: n=563; Smokeless placeo Men: n=891 Women: n=416


Beliefs and perceptions- Current users/Vapers/Smokers

Around 40% of the current users of tobacco products/ other product users believe E-Cig, Heat-not-burn products & Smokeless Tobacco is less addictive than smoking tobacco.



Beliefs and perceptions-Current users/Vapers/Smokers


Among both Men and Women current users/smokers/vapers, around 40%-50% believe E-Cig, Heat-not-burn products & Smokeless Tobacco are less addictive than smoking tobacco.



ase: Random Sample, Those who are aware of the respective products: E – Cig Men: n=1080 Women: n=508; Heat-not-burn products Men: n=1163 Women: n=563; mokeless tobacco Men: n=891 Women: n=416


Risk perception of Nicotine - Current users/Vapers/Smokers

The majority of the Current users/vapers/smokers believe nicotine is harmful and addictive. 50% of Current users/vapers/smokers think that tobacco-related cancer is primarily caused by Nicotine, while every 3 out of 10 current users/vapers/smokers don't know about it.



Risk perception of Nicotine - Current users/Vapers/Smokers


Among both men and women current users/vapers/smokers, the majority believes nicotine is harmful.



Risk perception of Nicotine - Current users/Vapers/Smokers


Among both men and women, the majority of the people believe nicotine is addictive.

42% of Men current users and 52% of Women Current users do not know whether nicotine in e-cig/nicotine replacement therapies cause cancer or not.



Intention to purchase: E-Cig, Heat-not-burn, Smokeless tobacco


The current users/smokers/vapers who are not currently using E-Cig, Heat-not-burn products or Smokeless Tobacco; approximately 30% of them are willing to use E-Cig and Heat-not-burn products in the next 12 months. Only 16% are considering using Smokeless Tobacco.




Intention to purchase: E-Cig, Heat-not-burn, Smokeless tobacco

Among both men and women, current users/vapers/smokers who are not currently using E-Cig, Heat-not-burn products or Smokeless Tobacco; around 30% of them are willing to use E-Cig and Heat-not-burn products in the next 12 months.









Comparison between Among Current Users/Vapers/Smokers & Quitters

Among both men and women, alcohol consumption frequency (weekly) is relatively higher among current users/vapers/smokers. However, both among Current Users and Quitters; alcohol consumption frequency is higher among men.







 $\label{lem:note:among Quitters: Data is for past consumption prior to quitting} \\$

Figures are in %

Base: Random Sample, Current Users of tobacco products Men: n=1183 Women: n=578, Quitters Men: n=320 Women: n=146

4.3 Quitting and Quitters


Profile Comparison

Relatively more number of Quitters fall among the age group of 51-69 years.

Profile of current users and quitters				
	Current Users/ Vapers/ Smokers	Quitters (who quit tobacco in last 5 years)		
Base	1761	466		
Men	67	69		
Women	33	31		
20-24 yrs	3	3		
25-35yrs	15	8		
36-50yrs	37	32		
51- 69 yrs	45	57		
Rural	2	3		
Small Town	35	41		
Large Town	61	54		

Comparison between Among Current Users/Vapers/Smokers & Quitters

Alcohol consumption frequency (weekly) is relatively higher among current users/vapers/smokers.



ong Quitters: Data is for past consumption prior to quitting \dot{e} in %

Usage Comparison

Among quitters, usage of Cigarettes was relatively more than among current users/vapers/smokers, whereas usage of E-Cig was relatively more among Current Users.

Of the following Products, which products are you currently consuming/were consuming?				
	Current Users/ Vapers/ Smokers	Quitters (who quit tobacco in last 5 years)		
Base	1761	466		
Cigarettes	83	95		
Rolled Cigarettes	5	3		
Electronic cigarettes/vaping devices with nicotine	17	5		
Capsule/Flavored cigarettes	6	2		
Tubed Cigarettes	5	2		
Electronic cigarettes/vaping devices without nicotine	11	5		
Ni coti ne gum	6	5		
Ni coti ne patch	4	4		


Note: Among Quitters: Data is for past consumption prior to quitting

Figures are in %

Base: Random Sample, Current Users of tobacco products: n=1761, Quitters n=466

Frequency of Smoking Comparison

A similar level of daily usage of Cigarettes noticed between Current Smokers and Quitters.




ong Quitters: Data is for past consumption prior to quitting $\ensuremath{\text{e}}$ in %

ndom Sample, Current Users of Factory made Cigarettes: n=1457, Quitters n=441

Frequency of Usage Comparison

Among both men and women, a similar level of daily usage of Cigarettes noticed between Current Smokers and Quitters.



Note: Among Quitters: Data is for past consumption prior to quitting

Figures are in %


Base: Random Sample, Current Users of Factory made Cigarettes Men: n = 999 Women: n=458, Quitters Men: n = 307 Women: n=134

19

70


Among Quitters


Smoking Tobacco is considered more harmful for the smoker as well as others around him/her among Quitters compared to Current Users.




Among both men and women, Smoking Tobacco is considered more harmful for the smoker as well as others around him/her among Quitters compared to Current Users.







Luitters consider smoking tobacco to be relatively more harmful (77%) to their health than Current Users (60%).



6: Those who coded 8, 9 or 10 on a 10 points scale (Will not be harmful to your health 1 - Will be harmful to your health 10)

Figures are in %


Base: Random Sample, Current Users of tobacco products / other products: n=1761 Quitters: n=466

B3/BB3. On a scale from 1 to 10, to what extent do you think a moderate daily use of the following products or substances can harm your health?

Among both men and women, Quitters consider smoking tobacco to be relatively more harmful to their health than Current Users.

B3./BB3. On a scale from 1 to 10, to what extent do you think a moderate daily use of the Cig. can harm your health?


(Will not be harmful to your health 1 – Will be harmful to your health 10)



Top 3 Box: Those who coded 8, 9 or 10 (will be harmful to your health) Figures are in %


Base: Random Sample, Current Users of tobacco products / other products Men: n=1183 Women: n=578, Quitters Men: n = 320 Women: n=146 B3/BB3. On a scale from 1 to 10, to what extent do you think a moderate daily use of the following products or substances can harm your health?

Relatively more Quitters believe smoking tobacco causes Mouth Cancer, Throat Cancer & Asthma in children from secondhand smoke.




Risk perception comparison – Current Users/Vapers/Smokers vs. Quitters

Among men, relatively more quitters believe smoking tobacco causes Mouth Cancer, Throat Cancer & Asthma in children from secondhand smoke.



Risk perception comparison – Current Users/Vapers/Smokers vs. Quitters

Relatively more women believe smoking tobacco causes Low birthweight compared to men.



Quit – Past attempt and current plan among Current users/Vapers/Smokers

The majority claimed that they have attempted to quit tobacco/other products. Planning to quit is relatively noticed more among 25-35 yrs consumers (55%).


B14. Have the current users attempted to quit or not? B16. Are they planning to quit or not?

	All Current Us ers	Men	Women	18-24yrs	25-35yrs	36-50 yrs	51-70 yrs	Ruralarea or village	Small or middle sized town	Large town
		%	%	%	%	%	%	%	%	%
n	1761	1183	578	55	269	645	792	44	619	1077
B14.In the past, have you ever made a serious attempt to quit s moking/ quit using to bacco products? That is, have you stopped smoking for at least one day or longer because you were trying to quit?										
Yes	66	65	67	60	75	67	62	55	66	66
No	34	35	33	40	25	33	38	45	34	34
B16.Are you planning to quit smoking/ using to bacco products?										
Yes	25	25	26	33	46	23	20	25	24	26
No	38	39	36	31	25	41	41	32	37	39
I don't know	36	35	37	35	28	35	39	39	39	34
I prefer not to answer	1	1	1	2	1	1	0	5	1	1

Figures are in %


Base: RandomSample, Current users

14.5/BB 14.5 What were the reasons behind your decision to attempt to quit smoking quitting Tobacco consumption?



Reasons For Quitting - Among Current Users/Smokers/Vapers

Among both men and women, worry about the harmful effects of tobacco on health and family/friend's suggestions are the main reasons for attempting to quit.




Figures are in %

Rase: Random Sample Current Users who attempte

Base: Random Sample, Current Users who attempted to quit Men: n = 766 Women: n=388


Reasons For Quitting - Among Quitters

Among both men and women, worry about the harmful effects of tobacco on health and family/friend's suggestions are the main reasons for quitting.




Figures are in %
Base: Random Sample, Current Users who attempted to Quitters Men: n = 320 Women: n=146

Cold Turkey followed by Nicotine replacement therapy are the major means of quitting.




among both men and women, Cold Turkey followed by Nicotine replacement therapy are the major means of attempting to quit.



Ways Adapted For Quitting - Among Quitters

Cold Turkey followed by Nicotine replacement therapy are the major means of quitting. Cold Turkey is a comparatively larger means of quitting among women.




Figures are in %

Base: Random Sample,, Current Users who attempted to Quitters Men: n = 320 Women: n=146

Quitting Attempts by products: Among Quitters


Across products, multiple numbers of quitting attempts were noticed.



82

Quitting Attempts by products: Among Quitters


Across products, average attempts at quitting are more among women.



83


Impact of price increase of the tobacco products/other products

74% of consumers claimed that there will be an impact of the price increase; to cope with the price increase, the majority of them were planning to reduce consumption.




Impact of price increase of the tobacco products/other products

Among both men and women, approximately 70-75% claimed that there will be an impact of the price increase; to cope with the price increase, the majority of them were planning to reduce consumption.



Hindrance in Quitting Tobacco Consumption

Apart from enjoying consuming tobacco products (40%), stress (37%) surfaced as one of the main hindrances to quit.




Profile of Current users and Quitters						
		t Users/ Smokers	Quitters (who quit tobacco in last 5 years)			
	Men Women		Men	Women		
Civil Status	1183	578	320	146		
Single	26	27	22	21		
Unmarried, In a steady relationship and not living together	5	7	3	7		
Unmarried, In a steady relationship and living together	1	3	1	4		
Engaged	0	1	0	1		
Married	60	51	67	51		
Separated	1	1	1	1		
Divorced	6	9	6	12		
Widowed	1	2	1	3		
Having Kids						
Have children at home below 14 living in the household	27	24	18	27		
Don't have any children at home / No children below 14 living in the household	72	76	82	73		

Figures are in %

Base: Random Sample, Current Users of tobacco products Men: n=1183 Women: n=578, Quitters Men: n=320 Women: n=146

Hindrance in Quitting Tobacco Consumption

Women opined relatively higher than Men that they feel stressed and hence would not be able to quit.



5. Appendix

Profile of Current users and Quitters						
	Current Users/ Vapers/ Smokers		Quitters (who quit tobacco in last 5 yea			
	Men Women		Men	Women		
Education	1183	578	320	146		
Less than high school	0	1	1	2		
Completed some high school	1	3	2	2		
High school graduate	23	34	27	31		
Job-specific training program(s) after high school	9	13	8	17		
Some college, but no degree	2	2	1	3		
Associate degree	1	11	2	14		
Bachelor's degree (such as B.A., B.S.)	54	33	55	28		
Some graduate school, but no degree	1	1	1	2		
Graduate degree (such as MBA, MS, M.D., Ph.D.)	8	2	5	1		

Profile of Current users and Quitters						
	Current Users/ Vapers/ Smokers		Quitters (who quit tobacco in last 5 years)			
	Men Women		Men	Women		
Occupation	1183	578	320	146		
Working now	83	67	73	60		
Only temporarily laid off, sick leave, or maternity leave	0	1	0	4		
Looking for work, unemployed	5	4	5	8		
Retired	9	2	18	2		
Disabled, permanently, or temporarily	1	1	1	1		
Keeping house	0	20	1	21		
Student	1	2	1	1		
Others	1	2	1	3		


Profile of Current users and Quitters						
	•	nt Users/ / Smokers	Quitters (who quit tobacco in last 5 years)			
	Men	Women	Men	Women		
Annual Income	1183	578	320	146		
Less than 3,000,000 yen	13	18	15	24		
3,000,000-3,999,999 yen	8	13	12	8		
4,000,000-4,999,999 yen	11	9	10	14		
5,000,000-5,999,999 yen	10	9	9	10		
6,000,000-6,999,999 yen	9	8	11	8		
7,000,000-7,999,999 yen	7	6	6	5		
8,000,000-8,999,999 yen	7	7	7	5		
9,000,000-9,999,999 yen	6	5	6	3		
10,000,000-11,999,999 yen	7	4	6	5		
12,000,000-14,999,999 yen	6	4	5	3		
15,000,000-19,999,999 yen	3	3	2	2		
20,000,000-29,999,999 yen	1	2	1	1		
30,000,000 yen or more	5	2	0	1		
	e months, would you say	you had trouble paying	your bills?			
No	91	90	93	87		
Yes	7	8	5	12		

Figures are in %

Base: Random Sample, Current Users of tobacco products Men: n=1183 Women: n=578, Quitters Men: n=320 Women: n=146

Comparison between Users & Quitters


Approximately 60% of both Current Users & Quitters feel relaxed.





Comparison between Users & Quitters

Among both men and women, approximately 60% of both Current Users & Quitters feel relaxed.

On a scale of 1 to 5, 1 being relaxed at all and 5 being stressed, how would you describe your current state of mind?







FOUNDATION FOR A SMOKE-FREE WORLD